

In the Claims:

1. (Cancelled)
2. (Currently Amended) The vapor deposited multilayered film for forming a vapor deposited balloon according to claim 7 [[1]] wherein the polyamide resin layer is a mixed resin layer comprising 70-95 wt. % of crystalline nylon and 5 to 30 wt. % of [[an]] amorphous nylon [[polyamide resin and/or a semiaromatic polyamide resin]].
3. (Cancelled)
4. (Cancelled)
5. (Currently Amended) A balloon comprising the vapor deposited multilayer film [[for forming a vapor deposited balloon]] according to claim 7 [[1]].
6. (Cancelled)
7. (New) A vapor deposited multilayer film, comprising layers laminated in the order of an outer polyamide resin layer, a polyolefin layer, a polyamide resin layer, an adhesive resin layer, a seal layer, and a metal deposited layer,

the polyamide resin layers each comprising a mixed resin layer of crystalline nylon and/or amorphous nylon,

the polyolefin layer comprising at least one member selected from the group consisting of a polyolefin and polyolefin-based adhesive resin,

the adhesive resin layer comprising a grafted LLDPE,

the seal layer comprising at least one member selected from the group consisting of LLDPE and LDPE, and wherein

the metal deposited layer is formed on at least a part of the surface of the outer polyamide resin layer.